
ROCO S	SUSPENDED WORKER R	ESCUE PREPLAN	J			PAGE 1	
Area Designation:			Location:				
Staging Are	2 a:						
Category: Non-IDLH IDLH (Pre-Rigging for Rescue is Recommended)		Type: Elevated YES I Congested YES I			Means to Summon Rescue Team: ☐ Phone ☐ Intercom ☐ Audible Signal ☐ Pager ☐ Radio ☐ Other (Please Specify)		
Method of Rescue:							
					4		
Confirm that rescue equipment is inventoried and secured				Pre-rigging required? YES NO			
Hauling System required? ☐ YES ☐ NO			Lowering System required? YES NO Lowering Area (describe)				
Anchorage: Beam Truss Tripod Stairwell Anchored Steel Pipe Support Column Other (describe)							
GOAL: To once	uro a timoly receive (6 minutes Deceive	Equipment Requiremen	to (India	ata Quantity Nac	,dod)		
GOAL: To ensure a timely rescue (6 minutes or less for verbal or physical contact) of worker that is suspended by PFA, or has fallen to an inaccessible level that requires		Anchor Connector(s)	is (illuic	Carabiners	eueu)	Pulleys	
vertical rescue	e.	Manual Rope Grab(s)		Gotcha Pole/First	-up Pole	Rescuer's PPE (See Fall Hazard Survey Report)	
2. Assisted Non-technical (Ladders, Man-lifts, etc.)		Pre-engineered Rescue System	n	SRL Rescue Devid	се		
		/ertical Lifeline (Rescuer A/R)		Edge Roller			
Rescue Equ	uipment Requirements (Indicate Qu	uantity Needed)					
Spina	Spinal Immobilization: □ LSB □ OSS			Stretcher: □ SKED □ STOKES			
Cerv	Cervical Collar			Medical Kit			
	PPE: (See Fall Hazard Survey) rsonnel (Last name, first initial)					, and the second se	
	than one name listed, list in order of prima	ry responsibility.					





Description / Plan of Action:	
Sketch or Diagram:	